



The VIS225IR IR bullet camera is designed for low risk applications. It offers good quality 350 TVL images from its Omnivision 1/3" CMOS image sensor and will provide images in complete darkness up to 5 metres and beyond 5 metres in good light levels above 2.0 lux. The camera can be used internally or externally and can be wall or ceiling mounted.

Features

- Dual mode CMOS sensor provides good quality Colour images in low light conditions of 2.0 lux or above and B/W images in low light conditions below 2.0 lux in complete darkness
- Integrated Long Life Infra Red LEDs turn on automatically when the camera switches to B/W mode and provide up to 5 metres night vision
- Light emitted from the Infra Red LEDs is not visible to the human eye, however to the camera the light is clearly visible
- Omnivision 1/3" CMOS image sensor for 350 TVL resolution images and 2.0 lux low light sensitivity
- Features a 6.0mm focus free lens for a 43° viewing angle
- Economical to run with an operating voltage of 12V DC and power consumption of 210mA
- Durable Corrosion Proof Metal Casing
- Designed for Internal or External use and Wall or Ceiling mounting with the bracket supplied
- 1 Year Manufacturers Warranty

Specifications

Picture Type:	Day/Night (Colour & B/W)
Image Sensor:	Omnivision 1/3" CMOS
DSP:	N/A
Resolution:	350 TVL
Lens Viewing Angle:	43°
Infra Red Nightvision:	No
Minimum Illumination:	2.0 Lux
Audio:	No
Operating Voltage:	12V DC 210mA
Suggested Power Supply:	12V DC 300mA
Mounting:	Wall/Ceiling
Weatherproofing:	Yes
Dimensions (ØxD):	42x54mm

Connections

Video Output:	BNC Socket
Audio Output:	N/A
Power Input:	DC Socket